Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME 32

New names, and the final members of new combinations, are in **bold-face type.**

Abies, 475, 487, 598, Douglasii, 368, subalpina, 486
Abortiporus, 470, 483, 493, distortus, 483
Abrams, L. R. Studies on the flora of Southern California, 537
Abronia **aurita,** 537, **pinetorum,** 537, villosa, 538
Acacia Cavenia, 615, 621
Acanthospermum australe, 169, **hispi**dum, 169, humile, 170
Acer dasycarpum, 147, floridanum, 454, rubrum, 452, 459, saccharinum, 147, 452
Acetabularia Farlowii, 576, 577
Acetabulum Calyculus, 578, crenulatum, 577, 578, **Farlowii,** 577, 578
Achroanthes monophylla, 378, unifolia, 373
Acrolasia congesta, 539, **Davidsoniana,** 538
Acrostichum alcicorne, 588–592, 594, 595, biforme, 590, 594, bifurcatum, 589–591, 594, grande, 590, septentrionale, 588, spicatum, 588, Stemaria, 590–592, 595
Additions to the fossil flora from Cliffwood, New Jersey, 43
Adenostoma fasciculatum **densifolium,** 199
Aesculus flava, 89, parviflora, 466, Pavia, 452
Agariceae, 353, 369, 491
Agaricon, 369
Agaricus, 83, 84, 302, 369, 370, 469, 491, 493, **Aesculi,** 84, 89, 91–93, 492, betulinus, 95, campestris, 83, **confragosus,** 84, 86, 93, 94, 101, 369, 492, **deplanatus,** 84, 91, 92, 492, elegans, 91, **juniperinus,** 84, 85, 492, labyrinthiformis, 85, quercinus, 83–86, 95, 491, 492, repandus, 92, speciosus, 485
Agoseris **attenuata,** 136, aurantiaca, 137, elata, 137, glauca, 136, 137, gracilens, 137, grandiflora, 137, **humilis,** 137, **maculata,** 136, pumila, 136, **roseata,** 136, **rostrata,** 137, villosa, 136
Agropyron biflorum, 546, 547, biflorum **andinum,** 547, biflorum **latiglume,** 547, brevifolium, 547, ciliatum, 544, dasystachyum, 609, Novae-Angliae, 543–546, pseudorepens, 543–546, pseudorepens magnum, 544–546, Richardsonii ciliatum, 544, tenerum, 543–546, tenerum ciliatum, 544–546, tenerum longifolium, 543, 545, 546, tenerum **magnum,** 546, tenerum majus, 543, 546, tenerum **trichocoleum,** 546, violaceum, 545, 546, violaceum andinum, 547, violaceum latiglume, 547
Agropyron tenerum and its allies, 543
Agrostis, 600, brevifolia, 600
Albatrellus, 482
Alcicornium, 587, 592, **andinum,** 593, **angolense,** 592–594, **bifurcatum,** 593, 594, **coronarium,** 589, 592, 594, **Ellisii,** 592, 594, **grande,** 593, 594, **Hillii,** 593, 595, **madagascariense,** 592, 595, **Stemaria,** 593, 595, **sumbawense,** 592, 596, **Veitchii,** 593, 596, **Wallichii,** 593, 596, **Willinckii,** 593, 596
Alcicornium of Gaudichaud, The genus, 587
Aldunatea, 619, 621, chilensis, 619, gnaphalioides, 619
Aletris aurea, 154, 463, farinosa, 154, 463, lutea, 154, 463, obovata, 463
Alga, Chemical stimulation of a green, 1
Allionia pilosa, 611, **sessilifolia,** 611
Alnus rugosa, 452
Alsia, 262, 263, 265, abietina, 262–264, californica, 262, 263, 266, circinnata, 262, longipes, 262, 265, Macounii, 265
Alstroemeria, 621
Amauroderma, 364, 366, 371, **Chaperi,** 366, 367, **coffeatum,** 366, 367, **regulicolor,** 366, 367
American botanical literature, Index to, (1901–1903) 331, (1904) 49, 117, 393, 669, (1905) 173, 231, 269, 439, 507, 555, 625
Amphispores of the grass and sedge rusts, 35
Anchistea virginica, 456
Anemone chilensis, 619
Anoectangium, 266, domingense, 267, Erpodium domingense, 266
Antennaria plantaginifolia, 169, rosulata, 127, **Sierrae-Blancae,** 127, solitaria, 169
Antirrhinum **emarginatum,** 214, leptaleum, 214, **ovatum,** 213

Antitrichia, 265, californica, 262, 265, 266, curtipendula, 265, 266, curtipendula hispanica, 265, gigantea, 266, pseudo-californica, 262, 263, tenella, 266, tenella flagellifera, 266

Antrodia, 353, 354, 371, mollis, 354, 355

Apinus, 597, 598, **albicaulis,** 598, Cembra, 598, **flexilis,** 598, Pinea, 598

Apjohnia tropica, 245, 246, 251

Aplectrum, 377, hyemale, 377, hyemale pallidum, 377, spicatum, 377, spicatum pallidum, 377

Aplopappus, 619

Aquilegia formosa, 194, **Shockleyi,** 193, truncata, 194

Arachnites, 378, 379

Arctostaphylos Andersoni, 203, **auriculata,** 202, 203, canescens, 203, **franciscana,** 201, pumila, 202

Arenaria brevifolia, 142

Arethusa bulbosa, 377

Argylia, 619

Arietina, 373

Arietinum, 373, americanum, 374

Arisaema Dracontium, 454, triphyllum, 453

Aristida condensata, 153

Aristotela, 380

Aristotelea, 380

Aristotelia Maqui, 618

Arnica **coloradensis,** 131, subplumosa, 131

Artemisia **Brittonii,** 129, Chamissoniana saxatilis, 128, dracunculoides, 128, dracunculoides **Wolfii,** 128, gnaphalodes, 130, ludoviciana, 129, norvegica, 128, 129, **pudica,** 130, saxatilis, 128, **saxicola,** 128, **Underwoodii,** 129

Arthrodesmus, 552, Incus, 552, octocornis, 552

Arthur, J. C. Amphispores of the grass and sedge rusts, 35

Asclepias variegata, 147, 453

Aspergillus, 25–30, 339, flavus, 339, niger, 339, 340

Asplenium septentrionale, 588

Aster Chapmanii, 169, coloradensis, 124, eryngiifolius, 169; **fluvialis,** 611, longifolius, 611, paniculatus, 611

Astragalus, 621, 657, 658, aboriginorum, 660, acerbus, 666, aculeatus, 665, adsurgens, 659, alpinus, 659, amphioxus, 662, anisus, 659, artipes, 664, asclepiadoides, 661, Bigelowii, 659, bisulcatus, 664, bisulcatus decalvans, 664, Bodinii, 665, Brandegei, 660, Breweri, 196, campestris, 666; canadensis, 659, cerussatus, 665, chamaeluce, 662, christianus, 658, Cicadae, 662, Cicer, 659, coloradensis, 659, decumbens, 666, desperatus, 660, diphysus, 659, Drummondii, 659, Eastwoodiae, 664, elatiocarpus, 665, elatus, 665, Fendleri, 661, 662, 667, flaviflorus, 664, flavus, 664, flexuosus, 662, 666, Germaini, 619, glabriusculus, 660, goniatus, 659, gracilis, 663, grallator, 666, Hallii, 661, 662, 667, hamosus, 659, Haydenianus, 664, humillimus, 665, huministratus, 660, 664, inceptus, 659, junciformis, 666, Kentrophyta elatus, 665, lonchocarpus, 667, lotiflorus brachypus, 665, Macounii, 660, microlobus, 663, mollissimus, 659, Newberryi, 662, nitidus, 659, oreganus, 664, oroboides americanus, 660, Pallasii, 659, Parryi, 662, Pattersoni, 661, pectinatus, 663, physodes, 659, praelongus, 661, Preussii sulcatus, 664, procerus, 661, prunifer, 658, Purshii, 662, racemosus, 659, 664, scaposus, 659, scopulorum, 659, sericoleucus aretioides, 668, Shearis, 660, Shortianus, 661, 662, sparsiflorus, 660, succulentus, 658. sulcatus, 659, sulphurescens, 659, tegetarius implexus, 665, tenuifolius, 666, **Titi,** 195, tridactylicus, 668, uintensis, 662, vespertinus, 662, virgultatus, 659, viridis impensus, 665, Wetherillii, 665

Astragulus and its segregates as represented in Colorado, 657

Atelophragma, 658, 660, **aboriginorum,** 660, **Brandegei,** 660, **elegans,** 660, **glabriuscula,** 660, **Macounii,** 660, **Shearis,** 660

Atheropogon curtipendulus, 37

Aurantiporellus, 485, 486, 493, **alboluteus,** 486

Aurantiporus, 485, 487, 493, **Pilotae,** 487–489

Avena, 339

Avrainvillea, 569, **levis,** 565, 566, 584, longicaulis, 567, Mazei, 567, 568, 586, nigra, 567, nigricans, 567, 568, sordida, 566

Azalea candida, 166, canescens, 166, nudiflora, 452

Azolla magellanica, 616

Baccharis, 617, 621, sagittalis, 621

Bahamas, New Chlorophyceae from the, 241

Baldwinia atropurpurea, 147, 170

Batophora, 579, Oerstedi, 578–580, Oerstedi **occidentalis,** 579

Belvisia, 588

Berks County, Pennsylvania, Crataegus in, 389

Berry, E. W. Additions to the fossil flora from Cliffwood, New Jersey, 43. A Ficus confused with Proteoides, 327
Beta, 427, vulgaris, 419, 422, 426
Betulites populifolius, 46, 48
Bjerkandera, 470, 477, 493, 633, adusta, 633, 634, **fragrans,** 634, 636, fumosa, 634, 635
Blepharocalyx, 617, 618
Blephariglottis Blephariglottis, 376, grandiflora, 373, 376, leucophaea, 376
Blodgettia, 247, Bornetii, 247, confervoides, 247
Bolbitis, 587, 588
Boldoa fragrans, 621
Boletus abietinus, 654, adustus, 634, adustus crispus, 634, Aesculi-flavae, 89, albidus, 482, betulinus, 473, carpineus, 634, cervinus, 656, cinerascens, 656, cinnabarinus, 489, conchifer, 480, confragosus, 86, 492, decipiens, 97, distortus, 483, favus, 100, frondosus, 481, fumosus, 635, fuscoporus, 634, giganteus, 481, hirsutus, 480, 649, igniarius, 369, imberbis, 477, 635, incarnatus, 654, isabellinus, 634, lacteus, 92, lucidus, 490, membranaceus, 648, nigromarginatus, 649, pelleporus, 634, Pini, 367, pinicola, 490; pubescens, 645, resupinatus, 365, reticulatus, 100, squamosus, 484, suaveolens, 637, suberosus, 634, subsquamosus, 482, supinus, 365, tenuis, 100, Tulipiferae, 472, undulatus, 476, unicolor, 97, 492, 638, versicolor, 642, villosus, 356
Botanical literature, American (1901–1903) 331, (1904) 49, 117, 393, 669, (1905) 173, 231, 269, 439, 507, 555, 625
Botrychium, 219, decompositum, 220, 221, Jenmani, 220, 221, obliquum, 220, ternatum, 219, **Underwoodianum,** 220–222, virginianum, 453
Botryophora, 579, 580, Conquerantii, 578, occidentalis, 579, Oerstedi, 579
Botrytis, 28–30
Bowlesia, 617
Brachiolejeunea corticalis, 179
Brachyphyllum crassum, 44, macrocarpum, 44, 48
Brasenia purpurea, 457
Brassica Rapa, 616
Britton, E. G. Bryological notes, 261
Bryological notes, 261
Bryopsis Duchassaingii, 579
Bumelia lycioides, 454

Cacalia diversifolia, 170
Cajophora, 617
Cakile, 453
Calandrinia, 621, affinis, 620
Calceolaria, 617–620, adscendens, 617, nudicaulis, 617, purpurea, 617
California, Studies on the flora of Southern, 537
Caloporus, 482
Calypso, 382, 610, borealis, 382, bulbosa, 382
Canna, 155, angustifolia, 158, elegans, 158, flaccida, 154–158, flava, 155, 156, glauca, 155, 156, glauca flaccida, 155, indica, 158, Reevesii, 155–157
Cannacorus, 155
Cannon, W. A. A new method of measuring the transpiration of plants in place, 515. On the transpiration of Fouquieria splendens, 397
Capsella Bursa-pastoris, 616
Cardamine alsophila, 620
Carduus altissimus, 132, 133, **araneosus,** 612, Centaureae, 132, **coloradensis,** 132, Drummondii, 132, **floccosus,** 133, Flodmanii, 133, Hookerianus, 131, Nelsonii, 133, oreophilus, 131, **Osterhoutii,** 131, Parryi, 612, **perplexans,** 132, pulchellus, 612, scariosus, 132, **spathulatus,** 612, **Tracyi,** 133, undulatus, 133
Carex, 460, cherokeensis, 454, 455, 460, 461, Douglasii, 40, 41, glaucescens, 460, Hoodii, 40, 41, reniformis, 461, squarrosa, 460, striata, 460, stricta, 40, usta, 40, 41, verrucosa, 460, Walteriana, 460
Carphehorus tomentosus, 168
Carpites minutulus, 47
Carpolithus **mattewanensis,** 48, **ostryaeformis,** 47, virginiensis, 47, 48
Caryopitys, 597, edulis, 597 **monophylla,** 597
Castilleia **Clementis,** 212, foliolosa, 213
Catalpa, 147
Caulerpa crassifolia, 574, 575, pinnata, 575, plumaris, 576, racemosa corynephora, 575, **sertularioides,** 576, taxifolia crassifolia, 574–576
Cedrela odorata, 473
Celastrophyllum elegans, 46, 48
Centaurea chilensis, 617, melitensis, 616, 617
Cephalanthus, 146
Cephalophora aromatica, 621
Ceratanthae, 273, 274
Ceratolejeunea, 190, 273, 274, 277, 278, **brevinervis,** 282, 284, cornuta, 273, cubensis, 189, 190, **patentissima,** 286, 288, 290, Schwaneckei, 278, 282, 284, 290, Sintenisii, 278, 285, 286,

spinosa, 278, 280, 282, 284, 290, spinosa flagelliformis, 280, **valida,** 280, 281, 282, 284, 290, variabilis, 284–286
Ceratophyllum demersum, 160
Cercis canadensis, 454
Cereus, 535, 620, azureus, 535, baxaniensis, 535, caerulescens, 535, giganteus, 57, 528, Quisco, 617, 618, serpentinus, 535, speciosissimus, 535, splendidus, 535
Cerioporus, 484
Cerrena, 83, 97, 491–493, cinerea, 97, unicolor, 97–99, 492
Cerrenella, 354, 361, 371, **coriacea,** 361, **tabacina,** 361
Cestrum Parqui, 616, 618
Chaetanthera, 619
Chantransia, 574
Chara Hornemanni, 580
Cheilolejeunea **decidua,** 188, 189, phyllobola, 179, 187, 189, versifolia, 189
Cheiropleuria, 588
Chemical stimulation of a green alga, 1
Chile, Observations on the flora of central, 615
Chloraea, 621
Chloroform, Stimulation of Sterigmatocystis by, 337
Chlorophyceae, New, 241, 563
Chondrophora nudata, 168, virgata, 168
Chondrus, 583
Chordaria flagelliformis, 246
Chroococcum, 26
Chroolepus, 431, aureus, 431–434, umbrinus, 431
Chroolepus aureaus a lichen, 431
Chrysogonum virginianum, 453
Chrysoma cuneata, 215, **fasciculata,** 215, **Merriami,** 215, pauciflosculosa, 168, pinifolia, 216
Chuquiraga, 621, oppositifolia, 619
Cladium effusum, 459, mariscoides, 459, 460
Cladocephalus, 569, **scoparius,** 569, 584
Cladomeris, 481
Claytonia virginica, 465
Clematis **biflora,** 193, lasiantha, 193, pauciflora, 193
Cliffwood, New Jersey, Fossil flora from, 43
Cliftonia, 150, monophylla, 147
Closterium, 550, abruptum, 550, acerosum elongatum, 550, costatum, 550, decorum, 550, Dianae, 224, 225, 229, incurvum, 550, Leibleinii, 550, lineatum, 224, 229, Lunula intermedium, 550, monoliferum, 550, setaceum, 550, striolatum, 550, Venus, 550
Cnemidophacos, 658, 663, **flavus,** 664
Cnicus Drummondii, 132
Coastal plain of Georgia, Explorations in the, 141, 451
Coccocladus occidentalis, 579, occidentalis Conquerantii, 579, occidentalis laxus, 579, 580
Codiophyllum, 569
Codium, 244
Coeloglossum bracteatum, 376
Colletia, 618, ferox, 617, 621
Colliguaya, 621, integerrima, 618, odorifera, 617, 618
Collinsia **brachysiphon,** 214, inconspicua, 215, parviflora, 215
Cololejeunea, 183, 185, Biddlecomiae, 185, **diaphana,** 184, 185, 192
Colorado, Astragalus and its segregates as represented in, 657
Colorado, New plants from, 611
Coltricia, 354, 363, 371, cinnamomea, 363, Memmingeri, 363, obesa, 363, parvula, 363, perennis, 363, tomentosa, 363
Coltriciella, 354, 363, 371, dependens, 363
Colura, 273, 274, cubensis, 189, spinosa, 278, variabilis, 285
Colurolejeunea, 183, 274
Conopholis, 147
Convolvulus, 139, **ambigens,** 139, americanus, 140, arvensis, 139, 617, **interior,** 140, repens, 140
Conyza, 617
Corallorhiza multiflora flavida, 373
Coriolellus, 470, 481, 493, **Sepium,** 481
Coriolopsis, 354, 358, 371, **crocata,** 358, **gibberulosa,** 358, 359, **occidentalis,** 358, 653
Coriolus, 470, 480, 493, 633, 640, abietinus, 642, 654, albocervinus, 646, **arenicolor,** 642, 652, armenicolor, 642, 649, biformis, 642, 653, **brachypus,** 642, 646, Drummondii, 642, 647, ectypus, 642, 644, **Flabellum,** 642, 648, floridanus, 641, 644, haedinus, 642, 647, 652, **hirsutulus,** 641, 643, **hirtellus,** 642, 652, **ilicincola,** 642, 647, membranaceus, 642, 648, **nigromarginatus,** 642, 643, 649, 653, pargamenus, 641, 642, 644, 648, 654, 655, pinsitus, 642, 651, **planellus,** 642, 649, **pubescens,** 642, 645, **Sartwellii,** 642, 646, **sericeohirsutus,** 642, 651, **sobrius,** 642, 649, **subluteus,** 642, 646, **Sullivantii,** 642, 650, **tener,** 642, 653, velutinus, 652, versicolor, 641–643, 650
Cornus florida, 452, 454
Cortinarius, 301, 302, alboviolaceus, 313,

320, amarus, 318, anfractus, 319, annulatus, 310, 313, 319, armeniacus, 321, armillatus, 307, 308, 319, **Atkinsonianus,** 316, 318, 324, badius, 319, Berlesianus, 319, bolaris, 315, 319, **Braendlei,** 79, caerulescens, 319, caespitosus, 320, callisteus, 320, castaneus, 320, cinnabarinus, 320, cinnamomeus, 320, collinitus, 318, corrugatus, 318, croceo-caeruleus, 319, **croceocolor,** 314, 319, 323, croceus, 320, **cylindripes,** 306, 318, 321, **deceptivus,** 320, 324, 325, distans, 321, elatior, 322, flavifolius, 310, 319, fulgens, 319, fuscoviolaceus, 320, herpeticus, 322, lignarius, 320, lilacinus, 320, **Morrisii,** 79, multiformis, 315, 318, obliquus, 320, **olivaceo-stramineus,** 309, 318, 322, paleaceus, 320, pholideus, 319, purpurascens, 319, sanguineus, 320, semisanguineus, 320, semisanguineus **flamineus,** 320, sphaerosporus, 319, squamulosus, 305, 307, 310, 315, 319, **sterilis,** 304, 319, 321, subflexipes, 320, torvus, 315, 319, turmalis, 310, **umidicola,** 313, 320, 322, vibratilis, 318

Corythium, 156, 157

Cosmarium, 551, amoenum, 551, biremum, 552, connatum, 551, exiguum, 552, granatum subgranatum, 552, intermedium, 552, Meneghinii, 552, orbiculatum, 225, 226, ornatum, 551, phaseolum, 551, **pseudoorbiculatum,** 225, 229, pyramidatum, 551, taxichondrum, 551

Cotula, 620, coronopifolia, 616

Covillea tridentata, 518, 528

Crataegus, 389, 452, 454, aestivalis, 112, 146, crocata, 390, **Cydonia,** 390, georgiana, 161, 455, **moselemensis,** 391, moselemensis **corrugata,** 391, punctata, 389, 390, punctata **mutabilis,** 390, **Triosteum,** 392

Crataegus in Berks County, Pennsylvania, 389

Crepis **angustata,** 135, 136, confusa, 135, **denticulata,** 135, glauca, 134, 135, gracilis, 135, 136, intermedia, 136, intermedia gracilis, 136, occidentalis gracilis, 135, **perplexans,** 134, **petiolata,** 134, riparia, 135, runcinata, 134, 135, **tomentulosa,** 134

Criosanthes, 373, **arietina,** 374, borealis, 374

Cryphaea leptoclada, 261, Ravenelli, 263

Cryptanthe ambigua, 204, **trifurca,** 203

Cryptocarya Peumus, 617, 618

Cryptoporus, 490, 493, volvatus, 490

Ctenophyllum, 658, 663, **pectinatum,** 663

Cuba, A summary of Wright's explorations in, 291

Cubamyces, 470, 480, 493, **cubensis,** 480

Cunninghamites, 45, Oxycedrus, 45

Cuscuta, 616

Cushman, J. A. Notes on the zygospores of certain New England desmids, with descriptions of a few new forms, 223. The desmid flora of Nantucket, 549

Cyclomycetella, 354, 362, 371, pavonia, 362

Cycloporus, 370, 371, Greenei, 370

Cylindrocystis, 549, Brebissonii, 549, Brebissonii minor, 549

Cylindropuntia, 532

Cynara Cardunculus, 616, 617

Cynoglossum **Austinae,** 203

Cyperus vegetus, 616

Cypripedium, 373, 374, acaule, 375, 376, album, 375, arietinum, 374, bulbosum, 374, 382, Calceolus, 374, canadense, 375, flavescens, 375, hirsutum, 374, 375, luteum, 374, parviflorum, 374, 375, pubescens, 374, 375, reginae, 375, spectabile, 375

Cystium, 657, 659, **diphysum,** 659, **ineptum,** 659

Cytherea, 382, 610, borealis, 382, **bulbosa,** 382

Daedalea, 83, 84, 491, albida, 86, amanitoides, 92, ambigua, 89–91, angustata, 87, applanata, 92, betulina, 95, 492, betulina velutina, 96, confragosa, 84, 86, 87, corrugata, 86, deplanata, 91, 92, discolor, 86, 87, elegans, 91, 637, ferruginea, 655, gibbosa, 637, glaberrima, 89, 90, indica, 92, laevis, 92, mollis, 354, Palisoti, 92, Pini, 367, plumbea, 94, polita, 92, puberula, 95, 637, quercina, 84, 85, 94, quercina nigricans, 85, repanda, 92, rubescens, 86, 637, sanguinea, 479, subtomentosa, 93, tortuosa, 98, tricolor, 87, unicolor, 97–99, vetusta, 368, violacea, 94, vorax, 368, zonata, 86

Daedaleopsis, 83, 84, 492

Dasycladus Conquerantii, 578, 580, occidentalis, 579

Delphinium **Cuyamacae,** 538, Hanseni, 538

Dendroalsia, 263, **abietina,** 263–265, **circinalis,** 264, **longipes,** 265

Dendrophagus, 469, 473, 493, **Colossus,** 473

Dermocybe, 303, 305, 319

Deschampsia **alpicola,** 601, alpina,

601, bottnica, 601, caespitosa, 601, caespitosa alpina, 601
Desmid flora of Nantucket, 549
Desmidium, 553, Swartzii, 553
Desmids, Notes on the zygospores of, 223
Dicerandra odoratissima, 166
Dichromena, 146, latifolia, 133
Diholcos, 658, 664, **bisulcatus,** 664, **decalvans,** 664, **Haydenianus,** 664
Dioscorea humifusa, 616
Diospyros primaeva, 46, 48, virginiana, 166
Diphyllum, 378, 379
Diplacus **aridus,** 540
Diplasiolejeunea, 183, pellucida, 184, unidentata, 183, 184
Diposis Bulbocastanum, 619, 620
Dirca palustris, 148, 466
Distichlis maritima stricta, 602, spicata stricta, 602, **stricta,** 602
Distomaea, 378, 379
Drimys Winteri, 618, 620
Drosera, 113
Dudresnaja canescens, 574
Dudresnaya coccinea, 573, 574, **crassa,** 572–574, 585, purpurifera, 573
Dulichium, 113
Dupatya flavidula, 462

Earliella, 470, 478, 493, **cubensis,** 478, 479
Eastwood, A. New species of western plants, 193
Eatonia **intermedia,** 602, obtusata, 602, 603, obtusata robusta, 602, pennsylvanica, 602, 603, **robusta,** 602
Eccremocarpus scaber, 618
Echinocactus, 529
Effect of concentrated solutions on osmotic activity, 415
Elaphoglossum, 587, 588
Eleocharis, 146, 620, palustris, 616, striatula, 619
Elfvingia, 364, 368, 371, fasciata, 368, fomentaria, 368, Lionnetii, 368, lipsiensis, 368, megaloma, 368, reniformis, 368, tornata, 368
Elliottia racemosa, 165
Elodea, 339, canadensis, 339
Elymus ambiguus, 609, salinus, 609, **strigosus,** 609, **villiflorus,** 609
Encelia farinosa, 519, 528
Enslinia, 482
Ephebe pubescens, 432
Ephedra, 621, andina, 617, 619
Epidendrum conopseum, 159
Epipactis convallarioides, 380
Epiphegus, 147
Erigeron, 617, **Earlei,** 126, glabellus, 125, 126, glandulosus, 126, macranthus, 125, **nematophyllus,** 124, **Peasei,** 126, radicatus, 124, 126, **salicinus,** 125, **Smithii,** 125, subtrinervis, 125, **vetensis,** 126, **Vreelandii,** 125
Eriocaulon compressum, 457, 462, decangulare, 461, 462, lineare, 461–463, septangulare, 462, texense, 463
Eriocoma cuspidata, 38
Eriogonum fasciculatum, 216
Eriophorum virginicum, 113
Eritrichium muriculatum, 204
Erodium, 616, cicutarium, 617
Erpodium, 266, biseriatum, 268, **cubense,** 267, diversifolium, 268, domingense, 266–268, **Pringlei,** 268
Eryngium aquaticum, 164, aromaticum, 165, foetidum, 165, paniculatum, 618, praealtum, 164, virginianum, 164, 165
Erythronium americanum, 453
Escallonia, 618, 620, arguta, 621
Euastrum, 551, abruptum, 551, affine, 551, binale, 551, didelta, 551, elegans, 551, fissum, 551, oblongum, 551, pinnatum, 551
Eucalyptus dubia, 47, **Wardiana,** 47
Eugenia, 618
Euosmolejeunea duriuscula, 179, opaca, 179
Euphorbia floridana, 162, sphaerosperma, 162
Eurhynchium circinnatum, 265
Eurystylus, 157, flaccidus, 155, 156
Evans, A. W. New or noteworthy Hepaticae from Florida, 179. Hepaticae of Puerto Rico, 273
Explorations in the coastal plain of Georgia, 141, 451
Explorations in Cuba, A Summary of Wright's, 291

Fabiana imbricata, 621
Fagus americana, 147, 454
Favolus, 83, 99, 354, 355, 371, 469, 471, 493, europaeus, 99, hirtus, 99, 355, 471, **tenuis,** 99, 100, 102, 103, 355, 471, **variegatus,** 99, 101, 355, 471, villosus, 356
Festuca brachyphylla, 608, **Earlei,** 608, **ingrata,** 608, **minutiflora,** 608, ovina, 608, ovina ingrata, 608, rubra, 608
Ficus, 327–329, Berthoudi, 329, **daphnogenoides,** 329, elongata, 329, fasciculata, 328, Krausiana, 329, lancifolia, 328, ligustrina, 328, proteoides, 329, 330, sapida, 328, suspecta, 329
Ficus confused with Proteoides, 327
Fimbristylis diphylla, 154
Fissipes acaule, 376

Flammula **multifolia,** 79
Flaviporellus, 485, 493, **Splitgerberi,** 486
Flaviporus, 354, 360, 371, **crocitinctus,** 360, **rufoflavus,** 360
Flora, Rocky Mountain, 123, 597
Flora of central Chile, Observations on the, 615
Flora of Southern California, Studies on the, 537
Florida, New Chlorophyceae from, 241
Florida, New or noteworthy Hepaticae from, 179
Foeniculum vulgare, 616
Fomes, 469, 490, 493, Abietis, 367, alboluteus, 486, annosus, 491, **Auberianus,** 491, Ellisianus, 491, fraxinophilus, 491, geotropus, 491, Laricis, 491, ligneus, 491, Meliae, 491, perpusillus, 491, populinus, 491, regulicolor, 367, roseus, 491, rubritinctus, 491, scutellatus, 491, stipitatus, 491, ungulatus, 41
Fomiteae, 353, 364, 490
Fomitella, 364, 365, 371, **supina,** 365
Fomitopsis, 490
Forsstroemia, 262, 263, trichomitrion, 263
Fossil flora from Cliffwood, New Jersey, 43
Fouquieria splendens, 397, 401, 403, 528
Fouquieria splendens, On the transpiration of, 397
Franklinia Alatamaha, 151
Fraxinus arizonica, 528
Fruit of Opuntia, 238, 531
Frullania, 267, caroliniana, 179, Kunzei, 179
Fucus Areschougii, 581–583, inflatus, 583, pinnatus, 575, 576, platycarpus, 581, 582, plumaris, 576, Poitei, 583, sertularioides, 576, spiralis, 581–583, vesiculosus, 581, 582
Fumaria media, 616, 617
Funalia, 354, 356, 371, 469, **cladotricha,** 356, 357, Mons-Veneris, 356, **stuppea,** 356, **villosa,** 356
Fungi, New species of, 77
Further notes on the orchids of central New York, 573
Further observations on Taxodium, 105

Gaertneria **linearis,** 133, 134, tenuifolia, 134
Ganoderma, 364, 366, 371, 490, 493, Chaperi, 367, flabelliforme, 364, nutans, 364, Oerstedii, 364, parvulum, 364, sessile, 364, sulcatum, 364, Tsugae, 364, 490, zonatum, 364
Generic names of mosses, Some changes in, 261
Genus Alcicornium of Gaudichaud, The, 587
Genus Cortinarius, The, 301
Geoprumnon, 657, 658, crassicarpum, 658, **succulentum,** 658
Geopyxis **nebulosoides,** 80, nebulosa, 81
Georgia, Explorations in the coastal plain of, 141, 451
Geranium, 459, maculatum, 162, 453, 454
Gerardia Plukenetii, 167
Gibbesia Rugelii, 160
Gilia **caruifolia,** 540, tenuiflora altissima, 540
Globifomes, 364, 367, 371, graveolens, 367
Gloeophyllum, 370, 371, **Berkeleyi,** 370, hirsutum, 370, **pallidofulvum,** 370, **striatum,** 370
Gloeoporus conchoides, 635
Gloeosporium, 28
Glyptostrobus, 108
Gnaphalium, 453, 621
Godetia **delicata,** 539, epilobioides, 540
Gomontia, 250
Goniolithon strictum, 245
Gordonia, 150, pubescens, 151
Gracilaria, 583, Poitei, 583
Grammitis myosuroides, 73, 74
Graphephorum, 602, **Shearii,** 602
Grass rusts, Amphispores of, 35
Gratiola pilosa, 457, ramosa, 457
Grifola, 470, 481, 493, Berkeleyi, 482, fractipes, 482, frondosa, 482, poripes, 482, ramosissima, 482, Sumstinei, 482
Gruber, C. L. Crataegus in Berks County, Pennsylvania, 389
Gymnozyga, 553, moniliformia, 553
Gyrostachis, 380
Gyrostachys, 380, 610, cernua, 381, gracilis, 381, latifolia, 381, ochroleuca, 381, plantaginea, 381, praecox, 382, stricta, 381, vernalis, 382

Habenaria fimbriata, 376
Halesia tetraptera, 634
Halimeda brevicaulis, 564, 565, 586, cuneata, 242, **favulosa,** 563–565, 584, 586, incrassata, 586, macrophysa, 564, Monile, 565, multicaulis, 565, **scabra,** 241–244, 246, 251, tridens, 564, 584, 586, tridens **Monile,** 564, Tuna, 242–244, 246, 564, Tuna platydisca, 242
Hamosa, 657, 659, leptocarpa, 659, Nuttalliana, 659, **scaposa,** 659
Hansenia, 480, 640, hirsuta, 640
Hapalopilus, 354, 355, 371, fulvitinctus,

355, gilvus, 355, hispidulus, 355, licnoides, 355, rutilans, 355, sublilacinus, 355
Harper, R. M. Further observations on Taxodium, 105. Phytogeographical explorations in the coastal plain of Georgia in 1903, 141. Phytogeographical explorations in the coastal plain of Georgia in 1904, 451
Harpalejeunea, 287, 288
Harris, J. A. The fruit of Opuntia, 531
Hastings, G. T. Observations on the flora of central Chile, 615
Hebeloma, 302
Helenium, 467, Hoopesii, 529
Helianthemum corymbosum, 453
Helianthus **aridus,** 127, heterophyllus, 170, lenticularis, 127, petiolaris, 127
Hepatica, 459, triloba, 453
Hepaticae from Florida, 179
Hepaticae of Puerto Rico, 273
Herposiphonia, 571
Heterobasidion, 491
Heterobasidium, 491
Heuchera **Merriami,** 199
Hexagona, 99, 469, 470, 493, aculeata, 102, alveolaris, 471, brunneola, 471, caperata, 471, carbonaria, 103, cingulata, 102, cucullata, 471, daedalea, 471, fasciata, 103, favoloides, 100, floridana, 471, fragilis, 471, hirta, 99, hispidula, 471, hondurensis, 471, indurata, 471, leprosa, 102, micropora, 471, Mori, 99, 470, pallens, 103, papyracea, 101, polygramma, 100, portoricensis, 471, princeps, 471, purpurascens, 471, sericea, 651, 652, Taxodii, 471, tenuis, 100, tessellatula, 471, unicolor, 102, 103, variegata, 101, 102, variegata membranacea, 101, 102, vittata, 103, Wilsonii, 471
Hexaptera, 620, 622, linearis, 622, **purpurea,** 622
Hicoria aquatica, 111, glabra, 454, ovata, 453, 454
Hieracium albiflorum, 217, argutum, 217, **Grinnellii,** 217, Parishii, 217
Holcophacos, 662
Homalobus, 658, 666, **acerbus,** 666, caespitosus, 666, campestris, 666, **camporum,** 666, Clementis, 666, decumbens, 666, decurrens, 666, **Fendleri,** 667, **flexuosus,** 666, 667, **grallator,** 666, **Hallii,** 667, hylophilus, 666, **junciformis,** 666, **macrocarpus,** 667, **proximus,** 667, **Salidae,** 667, tenellus, 666, tenuifolius, 666, wingatanus, 666, Wolfii, 665
Homalocenchrus hexandrus, 146
Hookera filifolia, 537, **multipedunculata,** 537
Hordeum jubatum, 616, murinum, 616
Horkelia californica, 195, **glandulosa,** 195
Hormidium, 26
Horne, W. T. A new species of Lembosia, 69
House, H. D. Two new species of Convolvulus from the western United States, 139. Notes on New Jersey violets, 253. Further notes on the orchids of central New York, 373
Houstonia rotundifolia, 457
Howe, M. A. Phycological studies, 241, 563
Hydnaceae, 98
Hydnum trachyodon, 361
Hydrocotyle, 620
Hydrocybe, 303, 319
Hymenocallis, 453, 463, 464
Hymenogramme javensis, 94
Hypericum acutifolium, 457, fasciculatum, 113, 146, 457
Hypnum nudicaule, 261

Ibidium, 380, 610, **cernuum,** 381, **gracile,** 381, **ochroleucum,** 381, **plantagineum,** 381, **porrifolium,** 610, spirale, 380, **strictum,** 381, **vernale,** 381
Ilex, 113, myrtifolia, 113, opaca, 647
Index to American botanical literature, (1901–1903) 331, (1904) 49, 117, 393, 669, (1905) 173, 231, 269, 439, 507, 555, 625
Inocybe, 302, 313
Inoderma, 362, radiatum, 362
Inodermus, 362, hispidus, 362
Inoloma, 79, 303, 311, 319
Inonotus, 354, 362, 371, amplectens, 362, corrosus, 362; cuticularis, 362, dryophilus, 362, fibrillosus, 489, fruticum, 362, hirsutus, 362, jamaicensis, 362, perplexus, 362, pusillus, 362, radiatus, 362, texanus, 362, Wilsonii, 362
Iris, 453
Irpex, 486, Bresadolae, 472, canescens, 472, coriaceus, 361, crassus, 471, 472, epiphylla, 653, lacteus, 472, maximus, 93, mollis, 471, pallescens, 472, pityreus, 361, sinuosus, 472, tabacinus, 361, trachyodon, 361, Tulipiferae, 472
Irpiciporus, 469, 471, 493, **mollis,** 471, **Tulipiferae,** 471, 472
Ischnoderma, 353, 354, 371, fuliginosum, 354
Isotria verticillata, 377
Itea virginica, 459

Jamaica, A new Botrychium from, 219
Jamaican species of Polypodium, 73
Jepsonia **heterandra,** 201, Parryi, 201
Jonesiella, 658, 661, **asclepiadoides,** 661
Juglans nigra, 453, 454
Juncoides campestre, 610, **intermedium,** 610, pilosum, 154
Juncus, 453, 620, intermedius, 610, multiflorus, 610, pictus, 620
Jungermannia, 273, calyptrifolia, 273, connata, 182, subfusca, 190, unidentata, 183
Juniperus californica utahensis, 598, Knightii, 598, occidentalis monosperma, 598, scopulorum, 598, virginiana, 652

Kageneckia angustifolia, 618, oblonga, 617, 618, 621
Kallstroemia maxima, 528
Kalmia latifolia, 147, 148
Kauffman, C. H. The genus Cortinarius, 301
Kentrophyta, 658, 665, **aculeata,** 665, **impensa,** 665, viridis, 665, **Wolfii,** 665
Koeleria cristata, 384
Kuhnistera pinnata, 162

Lachnocaulon anceps, 462
Lactarius fuliginosus, 78, Gerardii, 78, lignyotus, 78, **Sumstinei,** 78
Laetiporus, 485, 493, speciosus, 485
Laretia acaulis, 619
Larix, 598, Cedrus, 598, decidua, 598, Strobus, 598
Lasia, 263, trichomitrion, 263
Latham, M. E. Stimulation of Sterigmatocystis by chloroform, 337
Lathyrus **Goldsteinae,** 197
Laurencia, 583, mexicana, 583, tuberculosa, 583
Laurus proteaefolia, 46, 48, Sassafras, 357
Leitneria floridana, 151
Lejeunea, 267, 273, americana, 179, 187, biseriata, 268, brevinervis, 278, 282, ceratantha, 278, 282, 284, 288, cornuta, 278, 285, cubensis, 189, cyclostipa, 190, decidua, 188, ensifolia, 185, ensifolia pigmaea, 185, **floridana,** 185, 187, 188, 192, glaucescens, 188, patentissima, 278, 286, 287, quinqueumbonata, 187, Sagraeana, 190, 191, serpyllifolia, 187, spinosa, 278, 280, subfusca, 190, Sullivantii, 268, unidentata, 183, variabilis, 278, 284, 285
Lembosia, 69–71, **Rolfsii,** 69
Lembosia, A new species of, 69
Lemna gibba, 616, minor, 616
Lenzites, 83, 95, 491–493, abietina, 95, applanata, 92, Berkeleyi, 96, 97, betulina, 95, 96, 492, bicolor, 86, 87, Cookeii, 86–88, Crataegi, 86, 87, cubensis, 95, 96, 492, deplanata, 91, glaberrima, 89, 90, heteromorpha, 95, Klotzschii, 86, Lyallii, 87, Palisoti, 92, platypoda, 92, polita, 92, 94, proxima, 86–88, repanda, 92, tenuis, 94, unguliformis, 86, 87
Lenzitina, 370
Lepiota **maculans,** 77
Leptochilus, 588
Leptodon circinalis, 264, Smithii, 262, 263, trichomitrion, 261–263
Leptolejeunea, 274, 277
Leptopoda Helenium, 467
Leptopora, 477
Leptoporus, 477, pubescens, 645
Lessingia **albiflora,** 217, glandulifera, 218
Leucocoryne ixioides, 616, 617
Leucodon domingense, 261, sciuroides, 262
Leucoporus, 484, tubarius, 484
Leucothoe racemosa, 110, 454
Limnanthemum aquaticum, 457
Limnorchis dilatata linearifolia, 377, major, 376, media, 377
Limodorum tuberosum, 377
Lippia, 620
Liquidambar, 112, 650, 653, Styraciflua, 143
Liriodendron, 472, 650, 653
Listera, 378, 379, 610, auriculata, 379, australis, 379, borealis, 610, caurina, 610, convallarioides, 380, cordata, 379, nephrophylla, 610, reniformis, 379, Smallii, 379
Literature, American botanical, (1901–1903) 331, (1904) 49, 117, 393, 669, (1905) 173, 231, 269, 439, 507, 555, 625
Lithospermum carolinianum, 500, 501, Gmelini, 501, virginianum, 497
Lithophragma affinis, 201, **trifoliata,** 200
Lithraea caustica, 617, 618, 621
Livingston, B. E. Chemical stimulation of a green alga, 1
Loasa, 617
Lophocolea connata, 182, 183, Martiana, 182, 183
Lopholejeunea, 191, 274, Sagraeana, 190
Loranthus, 620, aphyllus, 620, cuneifolius, 620, tetrandus, 620
Lupinus, 31, Chamissonis, 216
Luzula campestris, 453, 610, chilensis, 619, 620, pilosa, 154, saltuensis, 154, 452, vernalis, 154

Lycopersicum, 149
Lysias orbiculata, 376
Lysiella obtusata, 377
Lythrum Curtissii, 164

Machaeranthera **Fremontii,** 123, glabrella, 123, ramosa, 123, **Selbyi,** 123, spectabilis, 123, viscosa, 124, **viscosula,** 124
Mackenzie, K. K. Onosmodium, 495
Macouniella, 265, californica, 262
Macromeria, 496, cinerascens, 496, discolor, 496, **Thurberi,** 496, viridiflora, 496
Macrosporium, 28, 30
Madia sativa, 621
Magnolia acuminata, 466, glauca, 113, 150, grandiflora, 159, 454, pyramidata, 149, speciosa, 46, 48
Mammillaria gracilis, 532
Manisuris Chapmani, 146
Marasmius **Sutliffae,** 78
Marrubium vulgare, 617
Marshallia ramosa, 170
Martin, H. M. Studies on the effect of some concentrated solutions on the osmotic activity of plants, 415
Mastigolejeunea auriculata, 179
Maxon, W. R. On the names of three Jamaican species of Polypodium, 73. A new Botrychium from Jamaica, 219
Maytenus Boaria, 617
Mechanical adjustment of the suaharo (Cereus giganteus) to varying quantities of stored water, 57
Medeola virginica, 453
Medicago denticulata, 616, maculata, 616
Melanopus, 484, squamosus, 484
Melica, 383–386, altissima, 383–386, diffusa, 383, 384, 386, 387, diffusa nitens, 387, glabra, 384–386, Muhlenbergiana, 386, mutica, 383–386, 453, mutica diffusa, 386, mutica glabra, 386, **nitens,** 387, nutans, 385, racemosa, 385, 386, rariflora, 386, scabra, 387, speciosa, 385, 386
Melica, The two eastern species of, 383
Mentzelia congesta, 539
Meripilus, 481
Merisma, 477, 633, imberbe, 633
Mesadenia difformis, 171, diversifolia, 170, 171, floridana, 171, ovata, 454, sulcata, 171, tuberosa, 171
Mesotaenium, 549, macrococcum, 549
Method of measuring transpiration, A new, 515
Micrasterias, 551, americana recta, 551, papillifera, 225, 229, truncata, 551
Microlejeunea lucens, 179
Microphacos, 658, 663, **gracilis,** 663, **microlobus,** 663
Microporellus, 469, 470, 483, 493, **dealbatus,** 483, 484, **holotephrus,** 483, 484
Microzamia **dubia,** 43, 48, gibba, 43
Mison, 369
Monniera caroliniana, 457
Montia, 620
Morus rubra, 454
Moscharia, 617
Mucor, 339
Mucronoporus, 363, 368, tomentosus, 363
Muehlenbeckia chilensis, 617
Muhlenbergia, 600, aristata, 600, **aristulata,** 600, **cuspidata,** 599, 600, **filiformis,** 600, gracillima, 600, **Richardsonis,** 600, **simplex,** 600, **Thurberi,** 601, **Wolfii,** 600, Wrightii, 600
Mulinum spinosum, 619, 621
Murrill, W. A. The Polyporaceae of North America, 83, 353, 469, 633
Mutisia, 617, 621, linearifolia, 618, subulata, 618
Mycena, 305, **denticulata,** 77
Myosurus cupulatus, 194, **nitidus,** 194
Myriadoporus, 477, 633, adustus, 477, 633, 634
Myrica **Brittoniana,** 46, carolinensis, 453, Heerii, 46
Myriophyllum, 452, 620, elatinoides ternatum, 620, verticillatum, 616
Myrtus, 617, 618
Myxacium, 303, 307, 308, 310, 318, 321

Names of three Jamaican species of Polypodium, 73
Nantucket, The desmid flora of, 549
Nassauvia, 619, 621
Nastanthus agglomeratus, 619, spathulatus, 619
Neckera abietina, 263, californica, 263, domingensis, 261, longiseta, 262
Negundo, 147
Nemexia herbacea melica, 610, **lasioneuron,** 610
Neomeris Cokeri, 580
Neottia aestivalis, 380, gracilis, 381, plantaginea, 381, spiralis, 380, tortilis, 380, 382
Netrium, 549, Digitus, 549
Neuroplatyceros, 589, 595
Nevroplatyceros, 591, aethiopicus, 591, 595, alcicornis, 591, biformis, 591, 594, grandis, 590, 591, 595
New Botrychium from Jamaica, 219
New Chlorophyceae, 563
New Chlorophyceae from Florida and the Bahamas, 241

New England desmids, Notes on the zygospores of, 223
New Jersey violets, Notes on, 253
New method of measuring the transpiration of plants in place, 515
New or noteworthy Hepaticae from Florida, 179
New plants from Colorado, 611
New Rhodophyceae, 563, 571
New species of Convolvulus, 139
New species of Fungi, 77
New species of Lembosia, 69
New species of western plants, 193
New York, Notes on the orchids of central, 373
Nigrofomes, 364, 369, 371, melanoporus, 369
Nigroporus, 354, 361, 371, **vinosus,** 361
North America, Polyporaceae of, 83, 353, 469, 633, synopsis of the pileate species, 353, 469
Notes, Bryological, 261
Notes on the fruits of some species of Opuntia, 235
Notes on New Jersey violets, 253
Notes on the orchids of central New York, 373
Notes on the zygospores of certain New England desmids, with descriptions of a few new forms, 223
Nymphaeaceae, 146
Nyssa aquatica, 111, biflora, 113, 146, Ogeche, 147, sylvatica, 453, 454, uniflora, 111

Observations on the flora of central Chile, 615
Observations on Taxodium, 105
Ochroporus lithuanicus, 489
Odontolejeunea, 274
Oedocephalum, 29, 30
Oenothera, 83, humifusa, 453
Oligoporus, 477, farinosus, 477
On the names of three Jamaican species of Polypodium, 73
On the transpiration of Fouquieria splendens, 397
Onnia, 363, circinata, 363
Onosmodium, 495, bejariense, 497, 504, 505, carolinianum, 500, 501, carolinianum molle, 502, eriocaulon, 496, Helleri, 496, 497, hispidum, 497, **hispidissimum,** 496, 500, 501, 504, hispidissimum **macrospermum,** 496, 502, molle, 496, 499–503, **occidentale,** 496, 502, 504, occidentale **sylvestre,** 496, 504, scabrum, 497, strigosum, 496, subsetosum, 497, 505, Thurberi, 496, virginianum, 496–499, 506, virginianum **hirsutum,** 496, 499
Onychonema, 553, serratum, 533
Ophris, 378
Ophrys, 378, 379, 610, aestivalis, 382, **auriculata,** 379, **australis,** 379, **borealis,** 610, **caurina,** 610, cernua, 381, corallorhiza, 378, cordata, 378, 379, **convallarioides,** 380, insectifera, 378, lilifolia, 378, **nephrophylla,** 610, Nidus-Avis, 378, ovata, 378, 379, paludosa, 378, **Smallii,** 379
Opuntia, 235, 531, arbuscula, 237, 239, 531, aurantiaca, 532, Biglovii, 532, curassavica, 532, Engelmanni, 238, 239, 535, Ficus-indica, 535, filipendula, 236, fulgida, 236, 237, 239, 531, gracilis, 532, leptocaulis, 237, 239, 531, macrorhiza, 236, tetracantha, 237, 239, 531, versicolor, 238, 239, 520, vulgaris, 453
Opuntia, Fruit of, 235, 531
Orchiastrum, 380
Orchidaceae, 373
Orchids of central New York, 373
Orchis, 378
Orophaca, 658, 668, **aretioides,** 668, sericea, 668, **tridactylica,** 668
Orthocarpus **Brownii,** 210, densiflorus, 211, **falcatus,** 212, hispidus, 212, lithospermoides, 210, **maculatus,** 210, **noctuinus,** 211
Oryzopsis, 38
Osmotic activity of plants, Effect of concentrated solutions on, 415
Osmunda coronaria, 589, 590, 594
Osterhout, G. E. New plants from Colorado, 611
Ostrya virginiana, 48
Otigoniolejeunea, 187
Oxalis, 616, 617, 621, articulata, 616. 620, lobata, 616, micrantha, 616
Oxypolis filiformis, 113, rigidior, 453

Panicum digitarioides, 146
Panus **meruliiceps,** 78
Paronychia riparia, 160
Pasithea caerulea, 617, 620, 621
Patagonium, 618, 621, arboreum, 621
Peck, C. H. New species of fungi, 77
Pellaea atropurpurea, 458
Pelloporus, 363, triqueter, 363
Penicillium, 25–30, 339, 345, glaucum, 340, 346, 351
Penicillus, 569, 570
Penium, 550, Clevei crassum, 225, 229, phymatosporum, 550
Pentstemon **anguineus,** 208, **Austini,** 206, **Berryi,** 209, Davidsonii, 209, dissectus, 166, 167, floridus, 206, **Grinnellii,** 207, hirsutus, 167, **macranthus,** 207, Menziesii, 209,

Menziesii Newberryi, 210, Newberryi, 210, Palmeri, 207, 208, Rattani minor, 208, **scabridus,** 208, spectabilis, 206
Peramium ophioides, 373, 377, tessellatum, 373
Persea pubescens, 457
Perularia flava, 376
Petalostemon Feayi, 162
Petrosiphon, 247, 250, **adhaerens,** 248, 249, 252
Peziza pendula, 482
Phaca, 657, 658, 664, **artipes,** 664, bisulcata, 664, **Bodinii,** 665, Candolleana, 664, **cerussata,** 665, **Eastwoodiae,** 664, **elatiocarpa,** 665, elegans, 660, flexuosa, 666, **humillima,** 665, longifolia, 664, macrocarpa, 667, pauciflora, 664, pectinata, 663, picta, 664, pygmaea, 662, **Wetherillii,** 665
Phacelia circinata, 619, **eximia,** 204, hispida, 205
Phacopsis, 658, 661, **Pattersoni,** 661, **praelongus,** 661
Phaeolopsis, 485, 489, 493, **Veraecrucis,** 490
Phaeolus, 354, 362, 363, 371, Schweinitzii, 362, **sistotremoides,** 363
Phaeoporus, 362
Phegopteris hexagonoptera, 147, 453
Phelline, 369
Phellinus, 369
Philotria, 339, 416, 422, 423, 425–427
Phlegmacium, 303, 305, 310, 318, 322
Phlox divaricata, 454
Phoradendron californicum, 521, macrophyllum, 528
Phragmicoma cyclostipa, 190, Sagraeana, 190
Phycological studies, 241, 563
Phycomyces, 339
Phyllites **cliffwoodensis,** 47, 48
Phyllodontia, 492, Magnusii, 97, 98, 492
Phytogeographical explorations in the coastal plain of Georgia, 141, 451
Picea, 597
Pieris nitida, 110, 150, 459, phillyreaefolia, 110, 452
Pileate species of North American Polyporaceae, brown, 353, white and bright-colored, 469
Pilotrichella cymbifolia, 261
Pilotrichum abietinum, 263, flagelliferum, 261
Pinckneya pubens, 113, 147
Pinus, 597, albicaulis, 598, Andraei, 45, 48, canadensis, 487, contorta, 474, decidua, 598, echinata, 456, Elliottii, 109, 113, 114, 146, 456, flexilis, 598, glabra, 453, Larix, 598, monophyllus, 597, palustris, 142–144, 456, ponderosa, 528, serotina, 113, 147, 456, 457, sylvestris, 598, Taeda, 456, 598
Piper, C. V. Agropyron tenerum and its allies, 543. Poa gracillima Vasey and its allies, 435. The two eastern species of Melica, 383
Piptoporus, 469, 473, 493, suberosus, 473, 636, 638
Pisum, 31
Placodes, 364, 490
Plagiochila, 278, diffusa, 181, ludoviciana, 179, **Smallii,** 180–182, 192, tamariscina, 181, 182, tenuis, 181, 182, Wrightii, 181
Planera aquatica, 111
Plantago, 619
Plants from Colorado, New, 611
Plants, New species of western, 193
Platanus, 147
Platyceria, 591
Platycerium, 588–591, aethiopicum, 591, 595, alcicorne, 590, 592, 594, andinum, 593, angolense, 593, angustatum, 590, 591, 594, biforme, 590, 591, 594, coronarium, 590, 594, Elephantotis, 593, Ellisii, 594, grande, 590, 591, 594, Hillii, 595, madagascariense, 595, Stemmaria, 590, 595, sumbawense, 592, 596, Veitchii, 596, Wallichii, 591, 592, 596, Willinckii, 596
Pleurotaenium, 550, Ehrenbergii, 550, Trabecula, 550
Pleurotus **umbonatus,** 77
Poa, 435, acutiglumis, 435, 437, **alcea,** 435, 436, aperta, 604, arctica, 603, 604, Bolanderi, 435, caesia, 604, **callichroa,** 603, cenisia, 603, **confusa,** 607, epilis, 605, gracillima, 435, 436, idahoensis, 606, **interior,** 604, invaginata, 435, laevigata, 607, lucida, 607, **macroclada,** 604, **Multnomae,** 435, 437, **nematophylla,** 606, nemoralis, 604, 605, nevadensis, 607, **phoenicea,** 605, pratensis, 83, pseudo-pratensis, 605, **pudica,** 603, purpurascens, 605, 606, reflexa, 604, saxatilis, 435, **subpurpurea,** 606, **tricholepis,** 606, **truncata,** 607, Vaseyana, 606, vaseyochloa, 435, Wheeleri, 606
Poa gracillima Vasey and its allies, 435
Podostemon ceratophyllus, 161
Pogonia divaricata, 457, ophioglossoides, 377
Pogonomyces, 354, 360, 371, hydnoides, 360
Polemonium **shastense,** 205, viscosum, 206

Polycodium revolutum, 466
Polygala lutea, 457
Polygonella Croomii, 159, brachystachya, 159, 160
Polypilus, 481
Polypodium, 73–75, **delitescens,** 74, **induens,** 75, Jamesoni, 74, moniliforme, 75, myosuroides, 73–75, saxicola, 75, saxicolum, 75, serrulatum strictissimum, 74, setosum, 73
Polypodium, Jamaican species of, 73
Polyporaceae of North America, The, 83, 353, 469, 633, index to genera, 371, 493, synopsis of the pileate species, 353, 469
Polyporeae, 353, 469
Polyporellus, 484
Polyporus, 99, 470, 484, 493, Acicula, 485, adustus, 477, 634–636, aemulans, 485, Aesculi, 89, albo-cervinus, 646, alboluteus, 486, albostygius, 637, anebus, 480, annosus, 491, arcticus, 656, arculariellus, 485, arculariformis, 485, arcularius, 469, 485, arenicolor, 652, armenicolor, 649, Auberianus, 94, 491, aurantiacus, 489, balsameus, 655, biformis 653, borealis, 474–476, borealis montanus, 475, borealis spathulatus, 475, brachypus, 646, Braunii, 360, brumalis, 484, Burtii, 634, 635, byrsinus, 358, caesioalbus, 654, carolinensis, 653, castanophilus, 488, caudicinus, 469, 485, cavernulosus, 357, cervinus, 355, chartaceus, 653, chioneus, 477, cladotrichus, 357, coffeatus, 367, Colossus, 473, columbiensis, 485, Cowellii, 485, craterellus, 485, crispus, 634, crocatus, 358, crocitinctus, 360, cubensis, 480, dealbatus, 483, decipiens, 656, delicatus, 485, dibaphus, 485, dichrous, 635, discoideus, 485, dispar, 655, Drummondii, 639, 647, ectypus, 644, elegans, 485, elongatus, 655, endothrix, 357, fibrillosus, 489, fimbriporus, 488, fissus, 485, Flabellum, 648, floridanus, 644, fragrans, 635, 636, Friesii, 656, fumosus, 476, 635, 636, galactinus, 475, gausapatus, 368, gibberulosus, 359, guadelupensis, 365, haedinus, 647, Halesiae, 634, havannensis, 480, hemileucus, 89, 90, 365, hirsutulus, 643, hirsutus, 647, 649, 652, hispidus, 650, holmiensis, 635, holotephrus, 484, hydniceps, 485, hydnoides, 360, hypococcinus, 487, ilicincola, 647, incana, 90, Kickxianus, 656, labyrinthicus, 93, 474, 639, laceratus, 654, 655, lactineus, 92, latissimus, 85, lenis, 358, leucospongia, 474, 486, 639, Lindheimeri, 357, lobatus, 368, lutescens, 640, maculosus, 485, marginatus, 490, membranaceus, 648, Menandianus, 654, micromegas, 478, mollis, 488, molliusculus, 645, 653, 654, mutabilis, 483, myrrhinus, 359, nilgheriensis, 655, obolus, 485, obtusus, 638, 639, occidentalis, 358, odorus, 637, papyraceus, 656, pargamenus, 654, 655, parvulus, 654, 655, perpusillus, 491, petaliformis, 483, phaeoxanthus, 485, piceinus, 367, Pilotae, 487, Pini, 367, Pini-canadensis, 487, pinsitus, 651, 652, planus, 649, plebeius cubensis, 365, 366, plumbeus, 478, polygrammus, 100, 483, Polyporus, 469, 485, populinus, 477, pseudopargamenus, 655, pubescens, 645, Ravenelii, 483, rheicolor, 486, Richardsonii, 656, rudis, 479, rufoflavus, 360, salignus, 635, Sartwellii, 646, scabriceps, 485, scarrosus, 656, sericeo-hirsutus, 651, simulans, 655, sobrius, 649, Splitgerberi, 485, 486, stereoides, 355, suaveolens, 477, 637, 638, subcinereus, 634, subflavus, 646, 656, subfulvus, 479, subluteus, 646, Sullivantii, 650, sulphuratus, 486, supinus, 365, symphyton, 476, tener, 653, tephroleucus, 477, terebrans, 636, tomentoso-quercinus, 640, Tricholoma, 485, trichomallus, 357, Tuba, 485, Ulmi, 484, umbellatus, 481, undigerus, 647, undulatus, 476, unicolor, 638, 639, valenzuelianus, 365, variiporus, 485, Verae-crucis, 489, 490, versatilis, 357, versicolor, 642, villosus, 356, vinosus, 361, virgatus, 485, volvatus, 490, vulpinus, 489, Xalapensis, 655, zonalis, 478, zonatus, 480, 640
Polystichum acrostichoides, 454
Polystictus azureus, 643, barbatulus, 652, cascus, 359, cretatus, 483, crocatus, 358, cyclodes, 358, 359, cyphelloides, 656, deglubens, 656, Didrichsenii, 647, extensus, 359, Fibula, 643, Friesii, 644, hirtellus, 652, jamaicensis, 656, limitatus, 656, molliusculus, 645, nuceus, 656, Oniscus, 644, Persoonii, 479, placentaeformis, 656, Pusio, 655, Ravenelii, 656, rigens, 359, rufopictus, 478, semiplicatus, 648, umbonatus, 651
Pontederia cordata, 457
Populus deltoides, 147
Poria superficialis, 652
Porlieria hygrometrica, 620, 621
Porodaedalea, 364, 367, 370, 371, **Pini,** 367
Porodiscus, 470, 482, 493, pendulus, 482

Poronidulus, 470, 480, 493, conchifer, 480
Postia, 474
Potamogeton, 146, 452, 620, Berteroanus, 616, pectinatus, 616, perfoliatus, 599, perfoliatus lanceolatus, 599, perfoliatus Richardsonii, 599, **Richardsonii,** 599
Prionolejeunea, 275
Prionopsis Chapmanii, 169
Proserpinaca pectinata, 457
Prosopis juliflora, 616, Siliquastrum, 616
Protea, 328
Proteoides, 327, daphnogenoides, 327–329
Proteoides, A Ficus confused with, 327
Protococcus, 26, 29, 30
Proustia pungens, 618, 621
Prunus americana, 454
Psathyra bifrons, 80, **multipedata,** 80, semivestita, 80
Pseudocryphaea, 261, **flagellifera,** 261
Ptelea trifoliata, 454
Pterigynandrum nudicaule, 261
Pterobryum densum, 262
Pterogonium gracile, 263
Puccinia, 35–41, atrofusca, 40, Caricis-strictae, 40, Cryptandri, 39, **Garrettii,** 40, 41, graminella, 35, micrantha, 38, Stipae, 38, substerilis, 38, tosta, 38, Tripsaci, 37, vexans, 35–37
Puerto Rico, Hepaticae of, 273
Puya, 620, 621, coarctata, 618
Pycnoporellus, 485, 489, 493, **fibrillosus,** 489
Pycnoporus, 485, 489, 493, cinnabarinus, 93, 489, sanguineus, 93, 489
Pyropolyporus, 364, 369, 371, Calkinsii, 369, conchatus, 369, crustosus, 369, Earlei, 369, Everhartii, 369, fulvus, 369, Haematoxyli, 369, igniarius, 369, jamaicensis, 369, juniperinus, 369, Langloisii, 369, linteus, 369, praerimosus, 369, Ribis, 369, Robiniae, 369, senex, 369, Underwoodii, 369, yucatanensis, 369
Pyrrocoma inuloides, 130, **lagopus,** 130, uniflora, 130, Vaseyi, 130

Quercus acuminata, 454, geminata, 465, hybrida, 454, Michauxii, 455, oblongifolia, 528, rubra, 453, virginiana, 465
Quillaja saponaria, 617, 618, 621

Radula australis, 179
Raillardella Muirii, 217, **scabrida,** 216
Ranunculus chilensis, 620
Raphanus sylvestris, 616
Rhamnus caroliniana, 454
Rhapidophyllum Hystrix, 162, 454, 455
Rhexia glabella, 457
Rhipidopteris, 587
Rhipilia longicaulis, 567, 586
Rhipocephalus, 569
Rhipozonium lacinulatum, 570
Rhodophyceae, New, 563, 571
Rhynchospora, 146
Riccardia pinguis, 179
Rigidoporus, 470, 478, 493, **micromegas,** 478
Rocky Mountain flora, Studies on, 123, 597
Romellia, 362, 363, sistotremoides, 362
Rosa **rivalis,** 198
Rottboellia speciosa, 39
Rubus nigrobaccus, 459, ulmifolius, 616
Rumex, 164
Ruppia maritima, 580
Rusts, Amphispores of, 35
Rydberg, P. A. Astragalus and its segregates as represented in Colorado, 657. Studies on the Rocky Mountain flora, 123, 597

Sabal Adansonii, 162, 455, 459, Palmetto, 459
Sabina, 598, **Knightii,** 598, **monosperma,** 598, **scopulorum,** 598, **utahensis,** 598
Sagina, 453, apetala, 616, decumbens, 465, decumbens Smithii, 465
Sagittaria natans, 152
Salomonia biflora, 453
Sanguinaria, 459, canadensis, 453
Sarcomenia delesserioides, 572, dolichocystidea, 572, **filamentosa,** 571, 572, 585, intermedia, 572, miniata, 572, mutabilis, 572, opposita, 572, secundata, 572, tenera, 572
Sargassum, 571, 585
Sarracenia, 113, flava, 147, 462, flava × minor, 462
Sassafras, 147, 643
Saxifraga virginiensis, 466
Scenidium, 355, 471
Schinus dependens, 621
Schizanthus pinnatus, 620
Schneider, A. Chroolepus aureus a lichen, 431
Scirpus cylindricus, 457, fontinalis, 458, Olneyi, 453
Sclerolepis uniflora, 457
Scutiger, 470, 482, 493, caeruleoporus, 482, cryptopus, 482, decurrens, 482, Ellisii, 482, griseus, 482, holocyaneus, 482, laeticolor, 482, persicinus, 482, radicatus, 482, retipes, 482, subradi-

catus, 482, tuberosus, 482, Whiteae, 482
Scutigera, 591
Sedge rusts, Amphispores of, 35
Selaginella acanthonota, 152, 153, arenicola, 143, 152, rupestris, 152
Senecio, 616, 617, Fendleri lanatus, 612, fistulosus, 620, **lanatifolius,** 612, lanatus, 612
Sequoia gracillima, 44, Reichenbachi, 44, 45, 48
Serda, 370
Sericocarpus bifoliatus, 457
Sesia, 83, 370, hirsuta, 370
Siphonocladus, 247, 250, brachyartrus, 245, **rigidus,** 244–247, 249–252, tropicus, 245, 246, 251, voluticola, 249, 250
Sistotrema cinereum, 97, fuscoviolaceum, 654, spongiosum, 639
Sisymbrium officinale, 616
Sisyrinchium, 617
Smilax lasioneuron, 610, pumila, 453
Solutions, Effect of concentrated, 415
Southern California, Studies on the flora of, 537
Spalding, E. S. Mechanical adjustment of the suaharo (Cereus giganteus) to varying quantities of stored water, 57
Sparganium americanum, 599, **multipedunculatum,** 598, 599, simplex, 599, simplex multipedunculata, 598, subvaginatum, 599
Spartina junciformis, 458
Sphaeria pocula, 482
Sphaerostigma bistortum, 539, **pallidum,** 539
Sphaerozosma, 552, Aubertianum, 226, excavatum, 552, **readingensis,** 226, 229
Spigelia marilandica, 454
Spiranthes, 380, autumnalis, 380, Beckii, 381, cernua, 381, gracilis, 381, graminea praecox, 382, latifolia, 381, neglecta, 382, plantaginea, 381, porrifolia, 610, praecox, 382, Romanzoffiana, 381, spiralis, 380, vernalis, 381
Spirogyra, 420, 422, 425–427
Spongipellis, 470, 474, 493, borealis, 475, galactinus, 475, spumeus, 474
Spongiporus, 469, 474, 493, **leucospongia,** 474
Sporobolus, 599, airoides, 38, 39, aristatus, 600, Bolanderi, 435, 436, cryptandrus, 39, 601, cryptandrus flexuosus, 601, cuspidata, 599, filiculmis, 601, filiformis, 600, **flexuosus,** 601, simplex, 600, Wolfii, 600
Staphylea trifolia, 162, 163
Staurastrum, 552, brevispinum, 226, 229, brevispinum **basidentatum,** 227, 229, dilatatum, 227, 229, distentum, 552, eustephanum, 228, 229, eustephanum **minnesotense,** 228, eustephanum **Wolleanum,** 228, grande, 227, 229, grande **glabrum,** 227, 229, grande rotundatum, 227, Lewisii, 552, macrocerum, 552, polytrichum **readingense,** 228, 229, pygmaeum, 552, Ravenelii, 552, striolatum, 552
Sterigmatocystis, 28, 30, 337, nigra, 340, 347–350
Stigeoclonium, 2, 3, 26, 27, 29, 30
Stimulation of a green alga, Chemical, 1
Stimulation of Sterigmatocystis by chloroform, 337
Stipa, 38, avenacea, 453, mongolica, 599, **Porteri,** 599, Vaseyi, 38, viridula, 38
Stokesia laevis, 167
Striglia, 83, 84, 491
Strilia, 363, cinnamomea, 363
Strobus, 597, 598
Stropharia **Schraderi,** 80
Studies on the effect of some concentrated solutions on the osmotic activity of plants, 415
Studies on the flora of Southern California, 537
Studies on the Rocky Mountain flora, 123, 597
Suaharo, 57
Summary of Charles Wright's explorations in Cuba, 291
Symbiezidium cyclostipum, 190, Sagraeanum, 190
Synopsis of the pileate North America Polyporaceae, 353, 469

Talguenea costata, 616, 617, 621
Talinum teretifolium, 143, 160
Taraxacum augustifolium, 138, **leiospermum,** 137, montanum, 138
Taxodium, 105, distichum, 105–108, 110, 111, 115, 151, 158, 454, imbricarium, 105, 107–110, 112–115, 146, 458
Taxodium, Further observations on, 105
Telamonia, 80, 303, 308, 310, 311, 319, 322–325
Tetmemorus, 550, granulatus, 550, laevis, 550
Tetradymia inermis, 131, **linearis,** 130
Tetraneuris **angustifolia,** 128, arizonica, 127, **Crandallii,** 127, linearis, 128, pilosa, 127, scaposa, 128
Thelephora lobata, 97
Thermopsis gracilis, 198, **venosa,** 198
Three Jamaican species of Polypodium, 73
Thuites crassus, 44
Thyrsanthema semiflosculare, 452

Tiarella cordifolia, 161
Tillandsia usneoides, 453, 454, 465
Tithymalus sphaerospermus, 162
Tium, 657, 659, **alpinum**, 659, **desperatum**, 660, **Drummondii**, 659, **huministratum**, 660, **racemosum**, 659, **scopulorum**, 659, **sparsiflorum**, 660
Toumey, J. W. Notes on the fruits of some species of Opuntia, 235
Tradescantia, 423–425, 427, discolor, 418, 422, 426
Tragacantha flaviflora, 664
Trametes, 90, 368, 470, 477, 493, 633, 637, ambigua, 89, Berkeleyi, 89, 90, centralis, 91, elegans, 91, hispida, 356, incana, 89, 90, lactea, 89, 90, malicola, 477, marchionica, 90, mollis, 354, Mülleri, 90, odora, 637, 638, ohiensis, 491, Peckii, 356, Pini Abietis, 367, rigida, 359, rubescens, 86, 87, Sepium, 481, stereoides, 355, stuppeus, 356, **unicolor**, 637, 638, 640
Transpiration of Fouquieria, 397
Transpiration of plants in place, A new method of measuring, 515
Trentepohlia aurea, 431
Triadenum longifolium, 163, petiolatum, 163
Trichaptum, 354, 359, 371, trichomallum, 359, 360
Trichopetalum stellatum, 616, 617
Trifolium repens, 616
Trillium Hugeri, 453, lanceolatum, 454, stylosum, 453
Triphora trianthophora, 377
Tripsacum dactyloides, 37
Triptilion, 617
Trisetum, 602, argenteum, 602, Shearii, 602
Triticum biflorum, 546, violaceum, 546
Tropaeolum, 617, 618, brachyceras, 620, polyphyllum, 620, tricolor, 620
Tsuga, 597
Tumion taxifolium, 149
Two eastern species of Melica, The, 383
Two new species of Convolvulus from the western United States, 139
Typha, 620, angustifolia, 616
Tyromyces, 470, 477, 493

Udotea, 569, Desfontainii, 570, sordida, 566
Ulmus, 452, fulva, 454
Underwood, L. M. The genus Alcicornium of Gaudichaud, 587. A summary of Charles Wright's explorations in Cuba, 291
Uniola stricta, 602
Uredineae, 35
Uredo Eriocomae, 38, luxurians, 38, pallida, 37
Uromyces, 28, 30, 35, 36, atrofuscus, 36, 40, Brandegei, 36, Caricis, 36, 40, Rottboelliae, 39, 40, scaber, 36, 38, 39, simulans, 36, 39
Utricularia, 146, 452, purpurea, 457, resupinata, 167
Uvularia floridana, 453, perfoliata, 147, 453

Vaccinium nitidum, 457
Vagnera recemosa, 453
Valenzuelia trinervis, 619
Vanilla planifolia, 70
Verbena, 618, 620, ciliata, 528
Viburnum nitidum, 457, nudum, 147, 459
Vicia, 31, 198, **Copelandi**, 197, **Durbrowi**, 196
Vilfa, 599, 600, cuspidata, 599, depauperata filiformis, 600, filiculmis, 601, gracillima, 600, minima, 600, Richardsonis, 600
Viola, 621, affinis, 256, 257, Angellae, 254, blanda, 257, Brittoniana, 255, 256, 258, **Brittoniana × cucullata**, 255, 258, 260, canadensis, 259, conjugens, 256, 259, cucullata, 255, 256, 258, emarginata, 255, 256, 259, fimbriatula, 256, 257, 259, fimbriatula aberrans, 256, 259, labradorica, 260, lanceolata, 257, LeConteana, 257, multicaulis, 454, nepetaefolia, 256, 258, notabilis, 255, odorata, 257, ovata, 256, palmata, 253, 254, 256, 258, palmata Angellae, 254, 258, palmata dilatata, 255, palmata variabilis, 254, 258, palmata variegata, 254, papilioncea, 258, pectinata, 255, 259, 260, pedata, 257, pedata lineariloba, 257, Philippii, 619, Porteriana, 256, 259, primulaefolia, 257, pubescens, 259, Rafinesquii, 260, rostrata, 260, rotundifolia, 257, sagittata, 256, 257, 259, scabriuscula, 259, septemloba, 253, **Stoneana**, 253, 254, 258, 260, striata, 259, tenuipes, 163, tripartita, 163, tripartita glaberrima, 163, variabilis, 254, villosa, 258
Violets, Key to the species of New Jersey, 257
Violets, Notes on New Jersey, 253

Water, Mechanical adjustment of the suaharo (Cereus giganteus) to varying quantities of stored, 57
Western plants, New species of, 193
Wright's explorations in Cuba, 291
Wyethia coriacea, 541, ovata, 541

Xanthidium, 552, antilopaeum, 552
Xanthochrous, 363, 370, tomentosus, 363
Xiphopteris Jamesoni, 73, 74, myosuroides, 74, serrulata, 73
Xylophacos, 658, 661, **amphioxus,** 662, missouriensis, 661, **Newberryi,** 662, **Parryi,** 662, **Purshii,** 662, **pygmaeus,** 662, Shortianus, 661, **uintensis,** 662, **vespertinus,** 662
Xylopilus, 368, crassus, 368
Xylorrhiza **Brandegei,** 124, **coloradensis,** 124
Xyris Smalliana, 457

Zannichellia palustris, 616
Zea, 31
Zephyranthes Atamasco, 454
Zygospores of New England desmids, 223